Fluid Phase Equilibria, 74 (1992) 311–312
Elsevier Science Publishers B.V., Amsterdam

Contents Volume 74 (1992)

Volume 74

Calculation of thermodynamic equilibrium properties
J.M. Mollerup and M.L. Michelsen (Lyngby, Denmark) 1– 15

Application of a reduction method to phase equilibria calculations
E.M. Hendriks and A.R.D. van Bergen (Amsterdam, The Netherlands) 17– 34

An expression for G^E for use in the reduction of ternary vapour–liquid equilibrium data
S.W. Campbell (Tampa, FL, USA) 35– 46

A method for predicting VLE and H^E of chain-like isomers using a modified UNIFAC model
Jian Chen, Zongchen Li and Yigui Li (Beijing, China) 47– 65

Application of the Simplified-Perturbed-Hard-Chain Theory for pure components near the critical point
A. van Pelt, C.J. Peters and J. de Swaan Arons (Delft, The Netherlands) ... 67– 83

A simple correlation to evaluate binary interaction parameters of the Peng–Robinson equation of state: binary light hydrocarbon systems
G. Gao (Beijing, China), J.-L. Daridon, H. Saint-Gurions, P. Xans and F. Montel (Pau, France) 85– 93

On the thermodynamics of quadupolar two-centre Lennard-Jones fluids
M. Lombardero, C. Martín, E. Lomba and A. Fernández (Madrid, Spain) .. 95–108

A new procedure for calculating the temperature dependence of thermodynamic characteristics of water–salt systems
A.R. Kolker (St. Petersburg, Russia) 109–125

Vapour–liquid equilibrium in the butyl alcohol–n-decane system at 85, 100 and 115°C
S. Bernatová, J. Linek and I. Wichterle (Prague, Czechoslovakia) 127–132

Multiphase equilbria of the mixture carbon dioxide + toluene + naphthalene
S.-P. Hong and K.D. Luks (Tulsa, OK, USA) 133–144

Isothermal vapor–liquid equilibria for the *n*-pentane + methyl acetate + dichloromethane system
I.L. Acevedo, G.C. Pedrosa, E.L. Arancibia and M. Katz (San Miguel de Tucuman, Argentina) 145–155

Comparison with experimental data of ultrasound velocity in pure hydrocarbons calculated from equations of state
S. Ye, B. Lagourette, J. Alliez, H. Saint-Guirons, P. Xans and F. Montel (Pau, France) 157–175

Speed of sound in binary mixtures as a function of temperature and pressure
S. Ye, B. Lagourette, J. Alliez, H. Saint-Gurions, P. Xans and F. Montel (Pau, France) 177–202

Liquid–liquid equilibria for mixtures of an alkanol + water + a methyl substituted benzene at 25°C
T.M. Letcher and P.M. Siswana (Grahamstown, South Africa) 203–217
Determination of the thermodynamic properties of methane at high pressures from speed-of-sound data
S.N. Biswas and C.A. ten Seldam (Amsterdam, The Netherlands) 219–233
The solubility of carbon dioxide in organic solvents at elevated pressures
C.J. Chang (Neili, Taiwan) 235–242
Vapor–liquid equilibrium data, at 298.15 K, for six binary systems containing methyl acetate or methanol, with acetonitrile nitromethane or nitroethane
M.C. Martin, M.J. Cocero and F. Mato (Valladolid, Spain) 243–252
Vapour–liquid and liquid–liquid equilibria in the system methyl butenol–water
J.D. Raal and C.J. Brouckaert (Durban, South Africa) 253–270
Solubility of CO_2 in water and density of aqueous CO_2 near the solvent critical temperature
R. Crovetto (University Park, PA, USA) and R.H. Wood (Newark, DE, USA) 271–288
Vapour–liquid equilibria in the binary system dimethyl ether + *n*-butane from 282.9 to 415.5 K at pressures to 4.82 MPa
M.E. Pozo de Fernandez, (Newark, DE, USA), G.C. Calado, (Lisbon, Portugal), J.A. Zollweg and W.B. Street (Ithaca, NY, USA) 289–302
A new look at the Rachford–Rice equation
C.F. Leibovici and J. Neoschill (Pau, France) 303–308

Author Index 309
Contents of Volume 74 311–312